

BPK plastic blank plates

for screw assembly / IP64 / UL Type 12



BPK Blank plates seal cut-outs for standard 10-pole / 16-pole / 24-pole industrial connectors with protection rating up to IP64 / UL type 12.

Blank plates are mounted via screws.

IP54

IP64

UL TYPE
12

CE
US

RoHS
compliant

REACH
COMPLIANCE

Made in
Germany

Specifications

| | |
|-----------------------|--|
| IP rating (EN 60529) | IP54, IP64 |
| UL Type (UL 50E) | UL Type 12 |
| Material | Polypropylene Integrated sealing lip: Elastomer |
| Flame class | UL94-V0, self-extinguishing |
| Operating temperature | -30 C° to 110 C° |
| Properties | silicone free, halogen free |
| Mounting options | Screw type mounting |

Advantages & benefits

■ Integrated gasket

Product types & sizes

BPK 24




| | | | |
|------------------|--------------------|----------------|---------------|
| Part No. | 42024 | No. of screw | 4 |
| EAN | 4251269307 | holes | |
| | 515 | Diam. of screw | 5,5 mm |
| Package quantity | 10 | holes | |
| Length | 148 mm | | |
| Width | 53 mm | | |
| Height | 10,3 mm | | |
| Cut-out size | 112 x 36 mm | | |

BPK 16

| | | | |
|------------------|-------------------|----------------|---------------|
| Part No. | 42016 | No. of screw | 4 |
| EAN | 4251269307 | holes | |
| | 478 | Diam. of screw | 5,5 mm |
| Package quantity | 10 | holes | |
| Length | 121 mm | | |
| Width | 53 mm | | |
| Height | 10,3 mm | | |
| Cut-out size | 86 x 36 mm | | |


BPK 10

| | | | |
|------------------|-------------------|----------------|---------------|
| Part No. | 42015 | No. of screw | 4 |
| EAN | 4251269307 | holes | |
| | 454 | Diam. of screw | 5,5 mm |
| Package quantity | 10 | holes | |
| Length | 101 mm | | |
| Width | 53 mm | | |
| Height | 10 mm | | |
| Cut-out size | 65 x 36 mm | | |

BPK-B

| | | | |
|------------------|-------------------|----------------|---------------|
| Part No. | 42010 | No. of screw | 4 |
| EAN | 4251269307 | holes | |
| | 393 | Diam. of screw | 5,5 mm |
| Package quantity | 10 | holes | |
| Length | 76 mm | | |
| Width | 53 mm | | |
| Height | 10,3 mm | | |
| Cut-out size | 46 x 46 mm | | |

BPK-JFX



| | | | |
|--------------------|-------------------|----------------|---------------|
| Part No. | 42620 | Diam. of screw | 6,9 mm |
| EAN | 4251269309 | holes | |
| | 045 | | |
| Package quantity | 5 | | |
| Length | 88 mm | | |
| Width | 88 mm | | |
| Height | 9 mm | | |
| No. of screw holes | 4 | | |

icotek[®]
smart cable management