


KEL-DPZ-HD 32|4-2 CR



EAN

□□□ □
□□ □□□ □□


70352.601
4251269328664
5
4
9,5 mm
□□(RAL 5005□ □□)
22 mm

□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □

8 mm
44 mm
32,3 mm
M32
M32 × 1,5
14 mm
Ra = 0,421 μm
4 x 5 - 9.5 mm

KEL-DPZ-HD 32|4-2 CR (S)VOC



EAN

□□□ □
□□ □□□ □□


70352.600
4251269328541
5
4
9,5 mm
□□(RAL 5005□ □□)
22 mm

□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □

8 mm
44 mm
32,3 mm
M32
M32 × 1,5
14 mm
Ra = 0,421 μm
4 x 5 - 9.5 mm

KEL-DPZ-HD 32|7 CR



EAN

□□□ □
□□ □□□ □□


70353.601
4251269328671
5
7
6,5 mm
□□(RAL 5005□ □□)
22 mm

□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □

8 mm
44 mm
32,3 mm
M32
M32 × 1,5
14 mm
Ra = 0,421 μm
7 x 3.2 - 6.5 mm

KEL-DPZ-HD 32|7 CR (S)VOC



EAN

□□□ □
□□ □□□ □□


70353.600
4251269328558
5
7
6,5 mm
□□(RAL 5005□ □□)
22 mm

□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □

8 mm
44 mm
32,3 mm
M32
M32 × 1,5
14 mm
Ra = 0,421 μm
7 x 3.2 - 6.5 mm

KEL-DPZ-HD 40|8 CR



EAN

□□□ □
□□ □□□ □□


70354.601
4251269328688
5
8
10,2 mm
□□(RAL 5005□ □□)
22 mm

□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □

8 mm
52 mm
40,4 mm
M40
M40 × 1,5
14 mm
Ra = 0,421 μm
4 x 3.2 - 6.5 mm
4 x 5 - 10.2 mm

KEL-DPZ-HD 40|8 CR (S)VOC



EAN

□□□ □
□□ □□□ □□


70354.600
4251269328565
5
8
10,2 mm
□□(RAL 5005□ □□)
22 mm

□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □

8 mm
52 mm
40,4 mm
M40
M40 × 1,5
14 mm
Ra = 0,421 μm
4 x 3.2 - 6.5 mm
4 x 5 - 10.2 mm

KEL-DPZ-HD 50|8 CR



EAN


□□□ □
□□ □□□ □□


70355.601
4251269328695
5
8
12,5 mm
□□(RAL 5005□ □□)
22 mm


□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□


□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □


8 mm
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
Ra = 0,421 μm
5 x 5 - 10.2 mm
3 x 7.2 - 12.5 mm


KEL-DPZ-HD 50|8 CR (S)VOCEAN
□□□ □
□□ □□□ □□**70355.600**
4251269328572
5
8
12,5 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□


□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
Ra = 0,421 μm
5 × 5 - 10.2 mm
3 × 7.2 - 12.5 mm**KEL-DPZ-HD 50|10 CR**EAN
□□□ □
□□ □□□ □□**70356.601**
4251269328701
5
10
22,2 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
Ra = 0,421 μm
7 × 3.2 - 6.5 mm
2 × 5 - 10.2 mm
1 × 16 - 22.2 mm**KEL-DPZ-HD 50|10 CR (S)VOC**EAN
□□□ □
□□ □□□ □□**70356.600**
4251269328589
5
10
22,2 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□


□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
Ra = 0,421 μm
7 × 3.2 - 6.5 mm
2 × 5 - 10.2 mm
1 × 16 - 22.2 mm**KEL-DPZ-HD 50|12 CR**EAN
□□□ □
□□ □□□ □□**70357.601**
4251269328718
5
12
10,2 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□


□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
Ra = 0,421 μm
4 × 3.2 - 6.5 mm
8 × 5 - 10.2 mm**KEL-DPZ-HD 50|12 CR (S)VOC**EAN
□□□ □
□□ □□□ □□**70357.600**
4251269328596
5
12
10,2 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□


□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
Ra = 0,421 μm
4 × 3.2 - 6.5 mm
8 × 5 - 10.2 mm**KEL-DPZ-HD 50|19 CR**EAN
□□□ □
□□ □□□ □□**70358.601**
4251269328725
5
19
6,5 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□


□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
Ra = 0,421 μm
19 × 3.2 - 6.5 mm**KEL-DPZ-HD 50|19 CR (S)VOC**EAN
□□□ □
□□ □□□ □□**70358.600**
4251269328602
5
19
6,5 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□


□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
Ra = 0,421 μm
19 × 3.2 - 6.5 mm


KEL-DPZ-HD 63|9 CREAN
□□□ □
□□ □□□ □□**70359.601**
4251269328732
5
9
22,2 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□


□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
75 mm
63,4 mm
M63
M63 × 1,5
14 mm
Ra = 0,421 μm
1 x 3.2 - 6.5 mm
3 x 5 - 10.2 mm
4 x 9 - 16.2 mm
1 x 16 - 22.2 mm**KEL-DPZ-HD 63|9 CR (S)VOC**EAN
□□□ □
□□ □□□ □□**70359.600**
4251269328619
5
9
22,2 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
75 mm
63,4 mm
M63
M63 × 1,5
14 mm
Ra = 0,421 μm
1 x 3.2 - 6.5 mm
3 x 5 - 10.2 mm
4 x 9 - 16.2 mm
1 x 16 - 22.2 mm**KEL-DPZ-HD 63|13 CR**EAN
□□□ □
□□ □□□ □□**70360.601**
4251269328749
5
13
16,2 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
75 mm
63,4 mm
M63
M63 × 1,5
14 mm
Ra = 0,421 μm
4 x 3.2 - 6.5 mm
4 x 5 - 10.2 mm
5 x 9 - 16.2 mm**KEL-DPZ-HD 63|13 CR (S)VOC**EAN
□□□ □
□□ □□□ □□**70360.600**
4251269328626
5
13
16,2 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
75 mm
63,4 mm
M63
M63 × 1,5
14 mm
Ra = 0,421 μm
4 x 3.2 - 6.5 mm
4 x 5 - 10.2 mm
5 x 9 - 16.2 mm**KEL-DPZ-HD 63|14 CR**EAN
□□□ □
□□ □□□ □□**70361.601**
4251269328756
5
14
10,2 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
75 mm
63,4 mm
M63
M63 × 1,5
14 mm
Ra = 0,421 μm
14 x 5 - 10.2 mm**KEL-DPZ-HD 63|14 CR (S)VOC**EAN
□□□ □
□□ □□□ □□**70361.600**
4251269328633
5
14
10,2 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□


□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
75 mm
63,4 mm
M63
M63 × 1,5
14 mm
Ra = 0,421 μm
14 x 5 - 10.2 mm**KEL-DPZ-HD 63|35 CR**EAN
□□□ □
□□ □□□ □□**70362.601**
4251269328763
5
35
6,5 mm
□□(RAL 5005□ □□)
22 mm□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □**8 mm**
75 mm
63,4 mm
M63
M63 × 1,5
14 mm
Ra = 0,421 μm
35 x 3.2 - 6.5 mm

KEL-DPZ-HD 63|35 CR
(S)VOC

EAN

□□□ □
□□ □□□ □□



70362.600
4251269328640
5
35
6,5 mm
□□(RAL 5005□ □□)
22 mm

□□ □□
□□ □□□
□□ □□ □□□
□□□□ □□ □□□

□□□ □□
□□ □□□ (ISO 4287)
□□□ □□ □

8 mm
75 mm
63,4 mm
M63
M63 × 1,5
14 mm
Ra = 0,421 μm
35 x 3.2 - 6.5 mm

icotek[®]
smart cable management